

# MATERIAL SAFETY DATA SHEETS

## MATERIAL SAFETY DATA SHEET

SECTION 1: MATERIAL INFORMATION AND USE

### TexPrime Primer

Material Name: TEXTURLINE PRIMER/UNDERCOAT - SET COAT/DP16

WHMIS Classified -- Not WHMIS CONTROLLED -- Material Use: Decorative Finishes  
WATERBASED PRODUCTS

Manufacturer:

PROTEK PAINT LTD.

335 HORNER

AVE

TORONTO,

ONTARIO

M8W 1Z6

CANADA

TEL 1 800

773 5233

24 hr emergency line 'Canutec' (613) 996 6666  
(COLLECT) SKIN: Flush with running water.

SECTION 2:

COMPONENT

INFORMATION Ingredients:

CAS, NA or UN

number

Acrylic copolymer

Unknown emulsion	U
Surfactant	
Water	Unkno
5	
Coalescing agents	7732 - 18 -
6	57 - 55 -
Titanium Dioxide	13463-
67-7	
Calcium Carbonate	471-
34-1	

SECTION 3:  
MATERIAL

PHYSICAL DATA FOR

PHYSICAL STATE Thick gel	ODOUR THRESHOLD N/D	VAPOUR PRESSURE N/D
VAPOUR DENSITY (Air = 1) < 1 Water	EVAPORATION RATE (N-Butyl acetate = 1) < 1 Water	SPECIFIC GRAVITY 1.19 @ 23oC
BOILING POINT	MELTING POINT	VOC 26 g/L

100 Degrees Celsius Water 0 Degree Celsius Water 1.2 @ 23 Degrees Celsius  
SOLUBILITY IN WATER (g/ml @ 20c) Miscible % VOLATILE (v/v) 43-45 PH  
8.7-

8.9 SECTION 4: FIRE AND EXPLOSION HAZARDS FLAMMABILITY: YES:  
\_\_\_\_\_NO: \_\_\_x\_\_\_SECTION 5: TOXICOLOGICAL

PROPERTIES OF MATERIAL SKIN ABSORPTION: No evidence of harmful effects from available information EYE CONTACT: May cause irritation INGESTION: May cause irritation of stomach with abdominal discomfort SECTION 6: FIRST AID MEASURES

EYE: Flush eyes with water. Contact physician if discomfort persists.

INHALATION: Move victim to fresh air. Contact physician if symptoms persist.

INGESTION: If victim is alert and not convulsing, give 1/2 to 1 glass of water to dilute the material. Do not induce vomiting. If spontaneous vomiting occurs,

have victim lean forward with head down to avoid breathing in of vomits, rinse mouth and administer more water. Obtain medical attention

**Disclaimer Note** To the best of our knowledge, the information herein is accurate. However, neither the above supplier assumes any liability for the accuracy or completeness of the information contained herein. Final determination for the suitability is the sole responsibility of the user. Although certain hazards are described herein, we cannot guarantee that they are the only ones that exist.

JAN 2010